Dynamic Pa



Dynamic Pathways in Multidimensional Landscapes

Contribution ID: 4

Ab initio simulations of X-rays probing ultra-fast dynamics

Content :

We employ quantum chemical calculations and molecular dynamics simulations in the study of ultra-fast solution dynamics. The theoretical tools are crucial for the interpretation of X-ray and photo-electron spectra of aqueous solutions.

Simulations of photo-induced chemical processes require a computational framework, in which we can calculate spectra in excited states and of molecules undergoing dissociative dynamics. Hence, we have chosen to work with multi-configurational (restricted active space SCF) quantum chemical calculations, which can give a balanced description of many electronic states simultaneously. This is essential both for the description of the dynamical processes and for the spectrum simulations in particular for resonant inelastic X-ray scattering process. The theoretical tools also allow for the simulation of dynamical effects inherent in the spectroscopies, such as core-hole induces proton-transfer.

Applications to aqueous electrolyte are presented

- the effects of hydrogen bonding around tri-iodide

- the pH dependence in the x-ray emission of simple amino acids

- L-edge x-ray absorption of transition metal complexes

showing the importance of combining experimental and theoretical data for reaching insights into the electronic structure and ultra-fast dynamics.

Primary authors : Dr. ODELIUS, Michael (Department of physics, Stockholm University) **Co-authors** :

Presenter : Dr. ODELIUS, Michael (Department of physics, Stockholm University)

Session classification : Molecular dynamics 2

Track classification : -- not yet classified--

Type : invited talks