



Contribution ID: 319

Type: **Poster**

Impact of ^{56}Ni production in neutrino-driven winds from long-lived binary neutron star merger remnants

Monday 16 September 2024 18:24 (1 minute)

We investigate the nucleosynthesis and kilonova light curve based on recent long-term binary neutron star merger simulations that incorporate a two-moment neutrino-transport scheme. The ejecta are evolved for 30 days using axisymmetric radiation-hydrodynamics simulations coupled in-situ to a complete nuclear network. For the first time, we find that the neutrino-driven wind from the post-merger remnant is mostly proton-rich. The resulting nucleosynthesis products are predominantly ^{56}Ni and other iron-group elements. After a few days, the decay of ^{56}Ni and later ^{56}Co becomes the primary source of heating in the expanding matter, which significantly alters the time dependence of the kilonova light curve. The observation of this effect would be a smoking gun for the presence of a long-lived neutron-star remnant in future kilonova observations.

Primary authors: JACOBI, Maximilian (University of Jena); MAGISTRELLI, Fabio (FSU Jena, TPI); LOFFREDO, Eleonora (INAF-OAAb); RICIGLIANO, Giacomo (Technical University of Darmstadt); BERNUZZI, Sebastiano (University of Jena); RADICE, David (The Pennsylvania State University); ARCONES, Almudena (TU Darmstadt); PEREGO, Albino (Università di Trento)

Presenter: JACOBI, Maximilian (University of Jena)

Session Classification: Poster Flashes